



# Quickie Ti Titanium FSS NET ORDER FORM/PRICE LIST (SIN F-1)

EIT3, Effective August 1, 2005 (Revised 11-7-05)

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: www.sunrisemedical.com

## ACCOUNT INFORMATION

Account No: \_\_\_\_\_ Drop Ship/Ship To: \_\_\_\_\_

Date: \_\_\_\_\_ Name: \_\_\_\_\_

P.O. #: \_\_\_\_\_ Address: \_\_\_\_\_

Buyer: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_

Marked For: \_\_\_\_\_ Zip Code: \_\_\_\_\_ Phone Number: \_\_\_\_\_

### QUICKIE TI TITANIUM

☐ K0005 Quickie TI Titanium \$1,250.64

### FRAMES

(Letters in ( ) refer to diagram on page 3.)

#### (A) Seat Width

☐ 13" NC  
☐ 14" NC  
☐ 15" NC  
☐ 16" NC  
☐ 17" NC  
☐ 18" NC

#### (B) Seat Depth

☐ 14" NC  
☐ 15" NC  
☐ 16" NC  
☐ 17" NC  
☐ 18" NC  
☐ 19" NC

#### (C) Front Seat Height <sup>1</sup>

☐ 16" <sup>2</sup> NC  
☐ 16-1/2" <sup>2</sup> NC  
☐ 17" NC  
☐ 17-1/2" NC  
☐ 18" NC  
☐ 18-1/2" NC  
☐ 19" NC  
☐ 19-1/2" NC  
☐ 20" NC

#### (D) Rear Seat Height <sup>1</sup>

☐ 14" NC  
☐ 14-1/2" NC  
☐ 15" NC  
☐ 15-1/2" NC  
☐ 16" NC  
☐ 16-1/2" NC  
☐ 17" NC  
☐ 17-1/2" NC  
☐ 18" NC  
☐ 18-1/2" NC  
☐ 19" NC

#### (E) Frame Angle

☐ 70° NC  
☐ 80° NC  
☐ 85° NC

#### (F) Frame Inset (see diagram for instructions)

☐ 0" (footrest width=frame width-2") NC  
☐ 1" (footrest width=frame width-4") NC  
☐ 2" (footrest width=frame width-6") <sup>3</sup> NC

### SEATING

#### Cushion

☐ 2" Cushion \$41.04  
☐ Omit Seat Sling -\$6.48

#### Back Type

(Choose from Option 1 or 2; 3 is optional)

#### 1. Titanium Fixed Height Backrest

(Angle Adjustable)

☐ Titanium Folding NC  
☐ Titanium Non-Folding NC

#### Back Height

☐ 10" NC  
☐ 11" NC  
☐ 12" NC  
☐ 13" NC  
☐ 14" NC  
☐ 15" NC

#### 2. Aluminum Folding Height Adjustable Backrest (Angle Adjustable)

☐ 11" - 14" Back Height <sup>4</sup> \$32.40  
☐ 12" - 16" Back Height \$32.40  
☐ 14" - 18" Back Height \$32.40  
☐ 16" - 20" Back Height \$32.40

#### 3. Backrest Options

☐ Standard Upholstery NC  
☐ Adjustable Upholstery \$64.80  
☐ Omit Back Upholstery -\$6.48  
☐ Fold-Down Push Handles <sup>4,5</sup> \$38.88  
☐ Integral Push Handles <sup>6</sup> NC  
☐ E0956 Jay Precision Back Med w/ Laterals \$136.08  
☐ E0956 Jay Precision Back Tall w/ Laterals \$149.04  
☐ Jay Precision Back Med omit Laterals \$136.08  
☐ Jay Precision Back Tall omit Laterals \$149.04  
☐ E1028 <sup>7</sup> Lateral Pad Symmetric Swing Away \$146.88  
☐ E0956 Lateral Pad Symmetric Swing Away \$82.08  
☐ E0956 Lateral Pad Asymmetric \$82.08  
☐ E1028 <sup>7</sup> Lateral Pad Asymmetric Swing Away \$146.88

#### FOOTNOTES:

<sup>1</sup> Tallest Rear Seat Height=Front Seat Height-1"; Shortest Rear Seat Height=Front Seat Height-3.5". (Minimum of 1" - Maximum of 3.5" front to rear seat angle within the options available.)

<sup>2</sup> Not available with 5" caster.

<sup>3</sup> Not available with 13" seat width.

<sup>4</sup> 11"-14" Back height not available with Aluminum Folding Backrest and Fold-Down Push Handles.

<sup>5</sup> Available only with Adjustable Upholstery or Omit Upholstery.

<sup>6</sup> Only available with Aluminum Backrest.

<sup>7</sup> Should additionally be billed as E0956.

PROPER USE OF HCPCS CODES DOES NOT ENSURE COVERAGE OR PAYMENT. FOR COVERAGE INFORMATION, VERIFY THE APPROPRIATE PAYER'S COVERAGE POLICY.

## FOOTREST

|                              |  |         |
|------------------------------|--|---------|
| <b>Footrest</b> <sup>1</sup> |  |         |
| <input type="checkbox"/>     | Titanium Tubular                             | NC      |
| <input type="checkbox"/>     | Titanium Tubular Long                        | NC      |
| <input type="checkbox"/>     | Titanium Tubular w/Flat Cover                | NC      |
| <input type="checkbox"/>     | Titanium Tubular w/Flat Cover Long           | NC      |
| <input type="checkbox"/>     | Titanium Tubular w/Flared Cover <sup>2</sup> | \$21.60 |
| <input type="checkbox"/>     | Titanium Tubular w/Flared Cover Long         | \$21.60 |
| <input type="checkbox"/>     | Aluminum Platform Footrest <sup>3</sup>      | \$23.76 |

|  |                             |         |
|--|-----------------------------|---------|
| <b>Adaptive Platform Spacer</b> <sup>3</sup> |                             |         |
| <input type="checkbox"/>                     | Adaptive Platform 2" Spacer | \$41.04 |
| <input type="checkbox"/>                     | Adaptive Platform 4" Spacer | \$41.04 |
| <input type="checkbox"/>                     | Adaptive Platform 6" Spacer | \$41.04 |

## ARMREST

|                          |  |         |
|--------------------------|--|---------|
| <b>Armrest</b>           |  |         |
| <input type="checkbox"/> | Padded Swing-Away Armrest <sup>4</sup> | \$75.60 |
| <input type="checkbox"/> | Omit Armrest                           | NC      |

## CASTERS

|                          |  |         |
|--------------------------|--|---------|
| <b>Casters</b>           |  |         |
| <input type="checkbox"/> | 3" Micro                                 | NC      |
| <input type="checkbox"/> | 3" Micro Lighted                         | \$23.76 |
| <input type="checkbox"/> | 4" Low Profile Polyurethane              | NC      |
| <input type="checkbox"/> | 4" Micro Lighted                         | \$23.76 |
| <input type="checkbox"/> | 5" Low Profile Polyurethane <sup>5</sup> | NC      |

## Rear Wheel Axle Spacing

(L) (Note: Inside of wheel to outside of backrest tube)

|                          |                   |    |
|--------------------------|-------------------|----|
| <input type="checkbox"/> | 3/4" <sup>6</sup> | NC |
| <input type="checkbox"/> | 1" <sup>7</sup>   | NC |
| <input type="checkbox"/> | 1-1/4"            | NC |
| <input type="checkbox"/> | 1-1/2"            | NC |

## Rear Wheel Size<sup>8</sup>

|                          |   |          |
|--------------------------|---|----------|
| <input type="checkbox"/> | 24" Spoke Wheel (540) <sup>9,20</sup>               | NC       |
| <input type="checkbox"/> | 26" Spoke Wheel (590) <sup>9</sup>                  | \$23.76  |
| <input type="checkbox"/> | 24" QP Tennis Wheel (540) <sup>9,20</sup>           | \$90.72  |
| <input type="checkbox"/> | 24" QP Basketball Wheel (540) <sup>9,20</sup>       | \$90.72  |
| <input type="checkbox"/> | 26" QP Tennis Wheel (590) <sup>9</sup>              | \$114.48 |
| <input type="checkbox"/> | 26" QP Basketball Wheel (590) <sup>9</sup>          | \$114.48 |
| <input type="checkbox"/> | 24" QP Heat Ttd Tennis 32H (559) <sup>10,21</sup>   | \$108.00 |
| <input type="checkbox"/> | 24" QP Heat Ttd Tennis 36H (559) <sup>10</sup>      | \$108.00 |
| <input type="checkbox"/> | 24" QP Heat Ttd Basketball (559) <sup>10</sup>      | \$108.00 |
| <input type="checkbox"/> | 26" QP Heat Ttd Tennis 36H (590) <sup>22</sup>      | \$131.76 |
| <input type="checkbox"/> | 26" QP Heat Ttd Basketball (590) <sup>22</sup>      | \$131.76 |
| <input type="checkbox"/> | 24" Spinergy (540) Yellow Spokes <sup>12</sup>      | \$300.24 |
| <input type="checkbox"/> | 24" Spinergy (540) Black Spokes <sup>11,12</sup>    | \$300.24 |
| <input type="checkbox"/> | 24" Spinergy (559) Black Spokes <sup>11,12</sup>    | \$300.24 |
| <input type="checkbox"/> | 26" Spinergy (590) Yellow Spokes <sup>11,12,2</sup> | \$300.24 |
| <input type="checkbox"/> | 26" Spinergy (590) Black Spokes <sup>11,12,23</sup> | \$300.24 |

## Rear Wheel Tire

|                          |   |         |
|--------------------------|---|---------|
| <input type="checkbox"/> | Pneumatic                                       | nc      |
| <input type="checkbox"/> | K0064 Pneumatic Airless Insert <sup>13,14</sup> | \$30.24 |
| <input type="checkbox"/> | Turbo Tread                                     | NC      |
| <input type="checkbox"/> | High-Pressure Clincher                          | \$41.04 |
| <input type="checkbox"/> | Latex Tubular                                   | NC      |
| <input type="checkbox"/> | Kevlar <sup>13</sup>                            | \$41.04 |

## Handrim

|                          |                   |         |
|--------------------------|-------------------|---------|
| <input type="checkbox"/> | Aluminum Anodized | NC      |
| <input type="checkbox"/> | Plastic Coated    | \$38.88 |
| <input type="checkbox"/> | Omit Handrim      | -\$4.32 |

## Center of Gravity Preset<sup>15</sup>

(M) (Preset - measured forward of backrest tubes)

|                          |                      |    |
|--------------------------|----------------------|----|
| <input type="checkbox"/> | 1/2" <sup>16</sup>   | NC |
| <input type="checkbox"/> | 1" <sup>16</sup>     | NC |
| <input type="checkbox"/> | 1-1/2"               | NC |
| <input type="checkbox"/> | 2"                   | NC |
| <input type="checkbox"/> | 2-1/2"               | NC |
| <input type="checkbox"/> | 3"                   | NC |
| <input type="checkbox"/> | 3-1/2"               | NC |
| <input type="checkbox"/> | 4" <sup>15</sup>     | NC |
| <input type="checkbox"/> | 4-1/2" <sup>15</sup> | NC |

## Axle

|                          |  |         |
|--------------------------|--|---------|
| <input type="checkbox"/> | Quick Release Steel                          | NC      |
| <input type="checkbox"/> | Quick Release Titanium <sup>17,18</sup>      | \$58.32 |
| <input type="checkbox"/> | Quad Quick Release <sup>18</sup>             | \$38.88 |
| <input type="checkbox"/> | Quad Quick Release Titanium <sup>17,18</sup> | \$97.20 |

## Camber

|                          |    |    |
|--------------------------|----|----|
| <input type="checkbox"/> | 0° | NC |
| <input type="checkbox"/> | 2° | NC |
| <input type="checkbox"/> | 4° | NC |
| <input type="checkbox"/> | 8° | NC |

## Wheel Lock

|                          |                                  |    |
|--------------------------|----------------------------------|----|
| <input type="checkbox"/> | High Mount Push                  | NC |
| <input type="checkbox"/> | High Mount Pull                  | NC |
| <input type="checkbox"/> | High Mount Scissor <sup>19</sup> | NC |
| <input type="checkbox"/> | Omit Wheel Lock                  | NC |
| <input type="checkbox"/> | Do Not Mount                     | NC |

## Rear Anti-Tip

|                          |                     |         |
|--------------------------|---------------------|---------|
| <input type="checkbox"/> | E0971 Rear Anti-Tip | \$58.32 |
| <input type="checkbox"/> | Omit Rear Anti-Tip  | NC      |

## ACCESSORIES

### Backpack

|                          |                        |         |
|--------------------------|------------------------|---------|
| <input type="checkbox"/> | Black Utility Backpack | \$22.11 |
| <input type="checkbox"/> | Black/Charcoal Kids    | \$20.10 |

### FOOTNOTES:

- <sup>1</sup> Note: Footrest is Preset 2" shorter than front seat height measurement - see matrix for lengths.
- <sup>2</sup> Not available with 0" inset or 5" caster and 1" inset.
- <sup>3</sup> Only available with platform footrest.
- <sup>4</sup> Not available with 3/4" or 1" axle spacing.
- <sup>5</sup> Not available with 0" inset on 80° or 85° frame angle.
- <sup>6</sup> Not available with 0° and 2° camber.
- <sup>7</sup> Not available with 0° camber.
- <sup>8</sup> Cannot omit wheels - Critical to set up.
- <sup>9</sup> Available with high pressure clincher tires, pneumatic tires, and latex tubular tire.
- <sup>10</sup> Standard with turbo tread tires; latex tubular available at no charge.
- <sup>11</sup> Only available with high pressure clinchers.
- <sup>12</sup> Only available with aluminum handrims and plastic-coated handrims.
- <sup>13</sup> Only available with 24" (540) wheels.
- <sup>14</sup> Not available with Quickie Performance wheel options.
- <sup>15</sup> Note: Possible interference of front casters with rear wheels.
- <sup>16</sup> Not available with folding backrest or height adjustable folding backrest.
- <sup>17</sup> Only available with Quickie Performance wheel options.
- <sup>18</sup> Not available with Spinergy wheels.
- <sup>19</sup> Not recommended with 14" or 15" seat depths, wheel lock arm does not recess completely under frame.
- <sup>20</sup> Not available with turbo tread.
- <sup>21</sup> Only available with aluminum handrims.
- <sup>22</sup> Only available with turbo tread.
- <sup>23</sup> Also available with pneumatic tires.

| Seat Pouch               |        |                               |          |
|--------------------------|--------|-------------------------------|----------|
| <input type="checkbox"/> | Black  |                               | \$18.09  |
| Spoke Guard              |        |                               |          |
| <input type="checkbox"/> | K0065  | Black <sup>1</sup>            | \$36.18  |
| <input type="checkbox"/> | K0065  | Clear <sup>1</sup>            | \$36.18  |
| Side Guard               |        |                               |          |
| <input type="checkbox"/> | 125SG1 | Fabric Regular <sup>2</sup>   | \$18.09  |
| <input type="checkbox"/> | 125SG2 | Fabric Kids <sup>2</sup>      | \$18.09  |
| <input type="checkbox"/> | 125SG3 | Plastic Regular               | \$48.24  |
| <input type="checkbox"/> | 125SG4 | Plastic Kids                  | \$48.24  |
| <input type="checkbox"/> |        | Aluminum                      | \$129.60 |
| <input type="checkbox"/> |        | Aluminum with Fender          | \$153.36 |
| Miscellaneous            |        |                               |          |
| <input type="checkbox"/> |        | Bolt-On Push Handles          | \$30.15  |
| <input type="checkbox"/> |        | Caddy                         | \$18.09  |
| <input type="checkbox"/> |        | Optional Rear Seat Tube Strut | \$28.08  |

## FOOTNOTES:

<sup>1</sup> Not available with Spinergy wheels.<sup>2</sup> Not available with adjustable upholstery.

TOTAL CHAIR PRICE

\$

## JAY SEATING OPTIONS\*

## Select Cushion

- ☐ Jay Basic (E2601)  
☐ Jay Soft Combi P(E2605)  
☐ Jay Xtreme (E2603)  
☐ Jay Xtreme S (E2603)  
☐ Jay Triad (E2603)  
☐ Jay Triad P (E2603)  
☐ Jay Care (K0669)  
☐ Jay Duo (E2603)  
☐ Jay Easy (E2607)  
☐ Jay 2 (K0108)  
☐ Jay 2 Recline (K0108)  
☐ Jay 2 Deep Contour (K0108)

## Select Back

- ☐ Jay 2 Back Std Height (E2613)  
☐ Jay 2 Back Tall (E2613)  
☐ Jay Back (K0669)  
☐ Jay 2 Xtreme (K0669)  
☐ Jay 2 Plus (E2613/E2614)  
☐ Jay Care (E2615)

## Indicate Backrest Width

Indicate Exact Cushion Dimensions  
(w" x d") \_\_\_\_\_


If a modification is necessary to achieve your cushion or backrest dimensions, do you want customer service to notify you prior to placing this order?

## Please Choose

- ☐ Send Quote for any Modification  
☐ Send Quote only when a modification has a charge  
☐ Fax me # \_\_\_\_\_  
☐ Email me \_\_\_\_\_

\* Please see Jay Price List for latest pricing information. Also, note that Jay cushions and backs may ship from different distribution centers.

| Front<br>Seat Height<br>5" increments | Rear<br>Seat Height<br>5" increments | Footrest<br>Adjustability Range<br>(from sling -<br>without cushion) | Footrest Adjustability<br>Range- Long<br>(from sling -<br>without cushion) |
|---------------------------------------|--------------------------------------|--|--|
| C                                     | D                                    | J  | J  |
| 20"                                   | 19"-16.5"                            | 17.25"-14.25"  | 18.59"-15.59"  |
| 19.5"                                 | 18.5"-16"                            | 16.75"-13.75"  | 18.09"-15.09"  |
| 19"                                   | 18"-15.5"                            | 16.25"-13.25"  | 17.59"-14.59"  |
| 18.5"                                 | 17.5"-15"                            | 15.75"-12.75"  | 17.09"-14.09"  |
| 18"                                   | 17"-14.5"                            | 15.25"-12.25"  | 16.59"-13.59"  |
| 17.5"                                 | 16.5"-14"                            | 14.75"-11.75"  | 16.09"-13.09"  |
| 17"                                   | 16"-13.5"                            | 14.25"-11.25"  | 15.59"-12.59"  |
| 16.5"                                 | 15.5"-13"                            | 13.75"-11.75"  | 15.09"-13.09"  |
| 16"                                   | 15"-12.5"                            | 13.25"-11.25"  | 14.59"-12.59"  |



## A. Seat Width

Measure from outside of seat tube to the outside of opposite seat tube.

## F. Inset

Measure from the seat width— in from both sides (Taper). (0 inset) no taper, (1 inset) 1" taper on both sides, (2 inset) 2" taper on both sides.

## G. Footrest Width

Measurement from inside of front frame to inside of opposite front frame. To determine your footrest width, use this formula:

**Footrest Width=**  
**Seat Width**  
**-(tubing from both sides)**  
**-(inset from both sides)**

**Footrest Width=**  
**Seat Width-2"-(2 x inset)**


**Example: 18" seat width, 2" inset:**  
**Footrest Width=18-2-(2 x 2)**  
**Footrest Width=16-4= 12"**

## J. Seat to Footrest

Measure from top of seat tube, at the beginning of bend, to top rear of footrest. Recommended 2" shorter than front seat height.  
(note: footrest is preset 2" from floor)

## L. Rear Wheel Spacing

Measured from outside of back post to inside top of rear wheel.



## B. Seat Depth

Measure from front of the back post to the front edge of the seat upholstery.

## C. Front Seat Height

Measure from top of seat tube, at beginning of bend, to the floor.

## D. Rear Seat Height (Adjustable)

Measure from top of seat tube in the rear of the frame to the floor.

## E. Frame Angle

Measure from frame front to floor.

## H. Seat Back Height

Measure from the top of the back post to the top of the seat tube.

## I. Back Angle

Measured from front of back post to floor. (Angle is factory preset to approx. 90° with 12° adjustability.)

## K. Footrest Height (Adjustable)

Footrest height is factory set to 2" from the floor.

## M. Center of Gravity (Adjustable)

Measure from front of back post at the seat tube to the center of rear axle.

**Sunrise Medical**  
**7477 E. Dry Creek Pkwy**  
**Longmont, CO 80503**  
**(800) 333-4000**

 **SUNRISE MEDICAL**  
 www.sunrisemedical.com

## Quickie Ti Titanium Standard Chair Weights

|       |    | Width |       |       |       |       |       |
|-------|----|-------|-------|-------|-------|-------|-------|
|       |    | 13    | 14    | 15    | 16    | 17    | 18    |
| Depth | 14 | 16.38 | 16.51 | 16.64 | 16.77 | 16.90 | 17.03 |
|       | 15 | 16.51 | 16.64 | 16.77 | 16.90 | 17.03 | 17.16 |
|       | 16 | 16.64 | 16.77 | 16.90 | 17.03 | 17.16 | 17.29 |
|       | 17 | 16.77 | 16.90 | 17.03 | 17.16 | 17.29 | 17.42 |
|       | 18 | 16.90 | 17.03 | 17.16 | 17.29 | 17.42 | 17.55 |
|       | 19 | 17.03 | 17.16 | 17.29 | 17.42 | 17.55 | 17.68 |

## Section A

Standard chair weight includes:

Tubular footrest w/o plate  
 Small fork  
 4" casters  
 24" high pressure clinchers  
 Fixed titanium backrest  
 Backrest upholstery  
 Seat sling w/hdwr, seat rails  
 Medium axle plate

## Section B

## Quickie Ti Titanium Component Weights

| Components  | Weights Lbs |  | Components (cont.)                             | Weights Lbs |
|---|-------------|--|--|-------------|
| Standard Chair Weight (refer to section A chart)            |             |  | <b>Axles (Pair)</b>                            |             |
| Addition to Standard Weight                                 |             |  | Steel  | 0.000       |
| Subtraction from Standard Weight                            |             |  | Titanium                                       | -0.100      |
| <b>Seating</b>  |             |  | Omit Axles                                     | -0.500      |
| No Cushion  | 0.000       |  | Quad QR Axle Titanium                          | 0.000       |
| 2" Cushion  | 1.261       |  | Quad QR Axle Steel                             | 0.150       |
| Omit Seat Sling   | -0.395      |  | <b>Handrims (Pair)</b>                         |             |
| <b>Back Type</b>  |             |  | 24" Aluminum Handrim Anodized                  | 0.000       |
| Titanium Non-ht folding                                     | 0.000       |  | 26" Aluminum Handrim Anodized                  | 0.100       |
| Titanium folding  | 0.123       |  | 24" Plastic Coat Handrim                       | 1.100       |
| Alum Ht Adj Back  | 0.817       |  | 26" Plastic Coat Handrim                       | 1.350       |
| <b>Push-Handles (Pair)</b>                                  |             |  | Omit Handrims                                  | -2.050      |
| Bolt-On Push-Handles (Pair)                                 | 1.532       |  | <b>Wheel Locks (Pair)</b>                      |             |
| Fixed Height Fold-Down Push-Handles                         | 1.685       |  | High Mount Push Wheel Locks                    | 0.640       |
| Ht.-Adjustable Fold-Down Push-Handles                       | 1.685       |  | High Mount Pull Wheel Locks                    | 0.640       |
| Integral Push-Handles                                       | 0.750       |  | High Mount Scissors                            | 0.680       |
| <b>Back Upholstery</b>                                      |             |  | <b>Wheel Lock Clamps (Pair)</b>                |             |
| Standard Back Upholstery                                    | 0.000       |  | Short Clamp                                    | 0.280       |
| Adjustable Back Upholstery                                  | 1.350       |  | Long Clamp                                     | 0.600       |
| Omit Back Upholstery  | -0.87       |  | <b>Rear Wheels (Pair) w/Aluminum Handrim</b>   |             |
| <b>Armrest (Pair)</b>                                       |             |  | 24" QP Basketball                              | -0.050      |
| Armrest   | 2.600       |  | 24" QP Heat Treated Basketball                 | -0.050      |
| <b>Footrest</b>   |             |  | 24" QP Heat Treated Tennis (32h)               | -0.230      |
| Tubular with leg strap                                      | 0.000       |  | 24" QP Heat Treated Tennis (36h)               | -0.200      |
| Platform Footrest (12w)                                     | 1.075       |  | 24" QP Tennis                                  | -0.050      |
| Flared (12W)  | 0.211       |  | 24" Spinergy (540)                             | -0.750      |
| Flat Cover (12W)  | 0.114       |  | 24" Spinergy (559)                             | -0.550      |
| Omit Leg Strap  | -0.145      |  | 24" Spoke                                      | 0.000       |
| <b>Adaptive Platform Spacers (Pair)</b>                     |             |  | 26" QP Heat Treated Tennis (36h)               | 1.350       |
| 2" Spacer   | 0.162       |  | 26" QP Tennis (36h)                            | 1.350       |
| 4" Spacer   | 0.344       |  | 26" QP Basketball                              | 1.450       |
| 6" Spacer   | 0.508       |  | 26" QP Heat Treated Basketball                 | 1.450       |
| <b>Caster Wheels (Pair)</b>                                 |             |  | 26" Spoke Wheel                                | 0.450       |
| 3" Micro  | -0.04       |  | 26" Spinergy (590)                             | -0.190      |
| 3" Micro Lighted  | -0.04       |  | <b>Accessories</b>                             |             |
| 4" Composite  | 0.000       |  | BackPack Adult                                 | 0.450       |
| 4" Micro Lighted  | 0.330       |  | BackPack Kids                                  | 0.250       |
| 5" Composite  | 0.340       |  | Seat Pouch                                     | 0.200       |
| 5" Soft Roll Tire   | 1.410       |  | Spoke Guard                                    | 1.700       |
| <b>Axle Plates (Pair)</b>                                   |             |  | Rear Anti-Tips (Pair)                          | 0.944       |
| Small (14" - 15" rear seat height)                          | -0.318      |  | Caddy  | 0.500       |
| Medium (16" - 17" rear seat height)                         | 0.000       |  | <b>Side Guards (Pair)</b>                      |             |
| Large (18" - 19" rear seat height)                          | 0.140       |  | Fabric Side Guard Kids                         | 0.200       |
| Total Weights(total weights from above)                     |             |  | Fabric Side Guard Regular                      | 0.250       |
| To determine chair weight, add weights from section A and B |             |  | Plastic Side Guard Regular                     | 1.840       |
| Please note: that the following weights                     |             |  | Plastic Side Guard Kids                        | 1.550       |
| are approximations only. There can be                       |             |  | <b>Total Weights(total weights from above)</b> |             |
| a variance of +/- .5lbs.                                    |             |  | <b>Total Weights</b>                           |             |